

Hillphoenix

a **DOVER** company

**The
SFC
Group**

*Solutions for
convenience sake*



CF-S

Self-Service Multi-Deck

Medium temperature general merchandiser.

CF-S - Self-Service Multi-Deck




Featured Laminates



Base Model Features

- Available lengths – 3' and 4'.
- Case dimensions: 81-1/2"H x 32-3/8"D (without bumper).
- Black painted metal exterior.
- Black painted metal outside back panel and canopy top.
- Solid end panels with mirror-polished stainless steel interior.
- Stainless steel exterior trim and base trim.
- Matte black painted metal interior and trim.
- 4 rows of LED Clearvoyant® 4 3000K lighted adjustable 16" shelves with tilt of 0, 5 and 15°.
- Aluminum price tag molding with 2" clear product stop.
- 5-1/2" die board plex
- 1 row LED Clearvoyant 4 3000K cornice light.
- Recessed casters.
- Main power switch and on/off light switch.
- Solar digital thermometer.
- Refrigeration:
 - Plug and play self-contained refrigerant.
 - High-efficiency fan motors.
 - Digital temperature control with automatic defrost.
 - Condenser intake front-to-top exhaust airflow with built-in closed rear chimney.
 - Stainless steel mesh removable condenser filter.
- Conforms to UL Standard 471, NSF Standard 7 and CAN/CSA C22.2.



2017
DOE
COMPLIANT

Please consult Hillphoenix Engineering Reference Manual for dimensions, plan views and technical specifications. Specifications are subject to change without notice. Certified to UL 471 and ANSI/NSF standard 7.

Designed for optimal performance in store environments where temperatures and humidity do not exceed 75°F and 55%R.H.

Available Options

- Exterior finish options: Stainless steel, additional paint colors and laminate.
- Interior finish: Painted to match exterior or stainless steel.
- 1" bumper on front panel of case and mounted on bottom of front panel.
- 1" bumper added to end panels.
- LED lighting color: 3500K.
- Retractable night curtain with or without locking feature.
- Lockable polycarbonate night cover.
- Integrated under-shelf peg bars.
- Transparent end panels with either insulated glass or plex insert.
- Sled runner base with leveling pads.
- Lift gate shipping option.

Fast Facts...

- Standard LED lighting combined with the flexibility of adjustable shelves provides a superior product visibility design allowing the customer to see the product at a distance while always keeping it in the refrigerated zone at the desired NSF temperature.
- Built-in rear condenser chimney exhaust with standard heavy duty casters provides flexibility in placement of the display case and improved shopper comfort with heat released from the top of the chimney.
- Easy to remove painted or stainless metal interior parts ensures ease of case cleaning piece-by-piece without tools for improved food safety, reduces labor costs, and a sanitary environment ready to be merchandised.

Hillphoenix

a **DOVER** company

2016 Gees Mill Road
Conyers, GA 30013
844.591.5937
www.hillphoenix.com

©2018 Hillphoenix, Inc.