



**HVI-4-406R/S | HVI-4-408R**

## Self-Service Open Multi-Deck

Small-store format, refrigerated radius island merchandiser for bakery, beverage, dairy, deli and produce.

**Standard HVI-4-406R/S**  
radius end caps with  
standard black finish.



**Optional HVI-4-408R** curved  
end caps with optional cherry  
wood laminante.



**Base Model Features**

- Case dimensions:
  - HVI-4-406R/S:  
67-13/16”H, 48”D, 72”W
  - HVI-4-408R:  
67-13/16”H, 48”D, 96”W
- Two full radius end caps.
- Case top: Deep Night Sky solid surface.
- Exterior: Powder-coated gloss black metal.
- Base trim: Powder-coated to match exterior.
- Interior: Powder-coated matte black metal with matching trim.
- Clearvoyant® 4 LED cornice and shelf lighting, 3000K.
- One row of 8”, 10” and 12” metal shelves powder-coated matte black.
- Integrated 1/2” product stop on each shelf.
- Shelves built with airflow chambers for superior product temperature holding capability.
- 5-1/2” die board plex.
- 2-1/2” product stop on deck shelf.
- 2 rows of cart bumpers.
- Standard digital temperature control with automatic defrost.
- Solar digital thermometer.
- Energy-efficient engineered fan design to maximize airflow.

**Available Options**


- Two full curved ends.
- Exterior top and front panel with laminated overlay onto glossy black power-coated metal.
- Black plastic tag molding on shelves.
- 1-1/2” plex product stop on shelves.
- Lift gate shipping option.

**Fast Facts...**

- Airflow shelving creates multiple air curtains to improve product integrity and self-life, increasing sales.
- Case is designed for product to be held at 41° F or below.
- High-efficiency fan motor with oversized condenser coil easily handles adverse conditions a standard fan cannot.
- Fully balanced fan motor provides super-quiet operation.
- Designed to maximize energy-efficiency and minimize operating costs.
- Clearvoyant® LED lighting has 360° adjustment, frosted lens and a variety of color temperatures to eliminate shadows and add “pop” to specialty items.
- Improved product presentation improves product sales.



HVI-4-406R/S




2017  
DOE  
COMPLIANT

Please consult Hillphoenix Engineering Reference Manual for dimensions, plan views and technical specifications. Specifications are subject to change without notice. Certified to UL 471 and ANSI/NSF standard 7.


Designed for optimal performance in store environments where temperatures and humidity do not exceed 75°F and 55% R.H.

ANSI/NSF-7 Type II – Display Refrigerator/Freezer  
Intended for 80°F and 55% RH ambient application.


Standard Radius End Caps



Optional Curved End Caps



HVI-4-408R




2017  
DOE  
COMPLIANT

Please consult Hillphoenix Engineering Reference Manual for dimensions, plan views and technical specifications. Specifications are subject to change without notice. Certified to UL 471 and ANSI/NSF standard 7.


Designed for optimal performance in store environments where temperatures and humidity do not exceed 75°F and 55% R.H.

ANSI/NSF-7 Type II – Display Refrigerator/Freezer  
Intended for 80°F and 55% RH ambient application.

Standard Radius End Caps



Optional Curved End Caps






As beautiful on the outside as it is hard working on the inside, your end cap merchandiser has been designed to fit any store layout or decor. Simply choose from a wide variety of select wood laminates to add the finishing touch and your end cap merchandiser is ready to go to work!

## Featured Laminates

401364  
Wild Cherry




400995  
Cocoa Maple




400628  
African Limba




401392  
WA River Cherry




400624  
Natural Oak




400634  
Natural Maple




401245  
Planked Pear




401302  
Macchiato Walnut




400968  
Prestige Walnut



400997  
Natural Cherry



400678  
Select Cherry





**Hillphoenix®**

Dover Food Retail  
2016 Gees Mill Road  
Conyers, GA 30013  
844.591.5937  
[www.hillphoenix.com](http://www.hillphoenix.com)

©2019 Hillphoenix, Inc.



---

This case uses Synerg-E™ and Clearvoyant® proprietary technologies from Hillphoenix.



SFC-HVI-4-406RS/408R\_v0519