

**Hillphoenix**

a **DOVER** company

**The  
SFC  
Group**

*Solutions for  
convenience sake*



**ONRB**

## Medium Temperature Glass Door Reach-In

Small-store format, refrigerated reach-in merchandiser for bakery, beverage, dairy, deli and produce.


## ONRB - Medium Temperature Glass Door Reach-In



### Base Model Features

- Available lengths – 2, 3, 4 & 5 doors.
- 5" baseframe.
- Custom color flat front panel.
- 1" black bumper.
- Black PVC kick plates.
- Square end panels with black PVC trim.
- Black interior with black polymer deck pans.
- Black flat bottom wire rack with 4" lip and black PVC PTM.
- (5) rows 22"x30" matte black solid shelves with black PVC PTM.
- Black Anthony 101LE door frames w/Optimax Pro high output 4000K LEDs, LH swing.
- Black Anthony ELMD doors with short handles, LH swing.
- Customer-provided light controls.
- Solar digital thermometer.
- Refrigeration:
  - R448A DX refrigerant.
  - TXV balance port sweat.
- Heat exchanger.
- Refrigeration lines piped to the bottom.
- Hand valve.
- EBM high-efficiency fan motors.
- Time-off defrost.
- Conforms to UL Standard 471, NSF Standard 7 and CAN/CSA C22.2.





Please consult Hillphoenix Engineering Reference Manual for dimensions, plan views and technical specifications. Specifications are subject to change without notice. Certified to UL 471 and ANSI/NSF standard 7.

Designed for optimal performance in store environments where temperatures and humidity do not exceed 75°F and 55%R.H.

## Available Options

- Brushed stainless front end trim (S3).
- Black Anthony 101LE door frames with Optimax Pro high output 3500K LEDs, LH swing.
- White case interior.
- 4 rows of shelving.
- Top wiring.
- R407A refrigerant.
- Top piping.
- Temperature control TStat.
- Temperature probe.

## Fast Facts...

- Standard high-efficiency ECM fan motors for optimum energy savings.
- Provides 10% more pack out and uses 50% less energy than comparable footprint multi-deck cases.
- All-steel construction for increased life span and structural integrity.
- Seamless tank liner provides positive drain runoff and enhanced sanitation.
- Bottom-mounted copper coil and modular interior components allow easy access to the coil, fans and drain for ease of maintenance.
- Removable castors for easy merchandiser unloading, movement and installation.

**Hillphoenix**

a **DOVER** company

2016 Gees Mill Road  
Conyers, GA 30013  
844.591.5937  
[www.hillphoenix.com](http://www.hillphoenix.com)

©2018 Hillphoenix, Inc.