



## Seafood Cases

Refrigerated service and self-service displays.







**GMD-RGC** | Refrigerated Multi-deck Display (Slide hardware)



**SMD-RGC** | Refrigerated Multi-deck Display (Available in vertical glass option)



**SSGC** | Refrigerated Single-deck Display




\*Shown with optional shelving.


**S2SGC** | Refrigerated Multi-deck Display








**BSD-SW-R** | Refrigerated Single-deck Display




**SGM** | Refrigerated Multi-deck Display (Available in 26" & 30" front glass options)




**BSD-SW-R** | Refrigerated Single-deck Display



**SSAS-RG** | Refrigerated Single-deck Display




**SSFS-RG** | Refrigerated Single-deck Display




**SSD-LT-F-R** | Frozen Single-deck Display




# Seafood SERVICE/SELF-SERVICE



**PTD-RG** | Gravity Coil Dome Refrigerated Base



**PTD-RGC** | Coolgenix Dome Refrigerated Base (Available in vertical glass option)



**SSD-LT-F-R** | Frozen Single-deck Display

Catch of the Day


Please consult Hillphoenix Engineering Reference Manual for dimensions, plan views and technical specifications. Specifications are subject to change without notice.

Designed for optimal performance in store environments where temperatures and humidity do not exceed 75°F and 55% R.H.






# Seafood SELF-SERVICE



**DLPC-R** | Refrigerated Single-deck Display




**PT-R** | Refrigerated Multi-deck & Available with rear storage



**PF-R** | Refrigerated Multi-deck Display







**PF-R** | Refrigerated  
Multi-Deck Display



2017  
DOE  
COMPLIANT

## ***Hillphoenix®***

2016 Gees Mill Road  
Conyers, GA 30013  
770-285-3264  
[www.hillphoenix.com](http://www.hillphoenix.com)